	Application No.	Applicant(s)
Notice of Allowability	10/666,212	ROSENFLANZ ET AL.
	Examiner	Art Unit
	Karl E. Group	1755
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the of (OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject and MPEP 1308.	correspondence address oplication. If not included on will be mailed in due course. THIS
2. The allowed claim(s) is/are <u>1-3,7-23,25,28-36,69,73 and 74</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority una)</li> <li>All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ENT of this application.	
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the draw ne header according to 37 CFR 1.121	ings in the front (not the back) of (d).
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Patent Application (PTO-152)
	6. 🔀 Interview Summary Paper No./Mail Da	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	8), 7. 🛛 Examiner's Amend	
Paper No./Mail Date <u>6-5-06</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☑ Examiner's Statem 9. ☐ Other	ent of Reasons for Allowance

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6-5-06 has been entered.

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gregory Allen on June 14 and 16, 2006.

The application has been amended as follows:

Replace claim 9 with the following:

---9. The glass according to claim 3 collectively <u>having</u> [comprising] 100 percent by weight of (i) at least one of Nb<sub>2</sub>O<sub>5</sub> or Ta<sub>2</sub>O<sub>5</sub>, (ii) at least one of ZrO<sub>2</sub> or HfO<sub>2</sub>, and (iii) at least one of Al<sub>2</sub>O<sub>3</sub> or REO, based on the total weight of the glass. ---.

Cancel claims 24,26,27,37-68,70,71,72.

Claims 25,28-36, change the claim indicator "(withdrawn)" to - - -(original) - - -.

Claims 25,28-36 have been rejoined.

Art Unit: 1755

2. The following is an examiner's statement of reasons for allowance: The amendments to claims 1,2 and 69 have overcome the rejection over Tachiwama (6,818,578). Applicants' argument that the glaze taught by Elmer et al '978 would contain amounts of SiO<sub>2</sub> outside the maximum 15wt% is persuasive in overcoming the rejection.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl E. Group whose telephone number is 571-272-1368. The examiner can normally be reached on M-F (6:30-4:00) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jerry Lorengo can be reached on 571-272-1233. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Karl E Group Primary Examiner Art Unit 1755

Keg 6-14-06